

Salesforce Lightning Dialer

Web Content Accessibility Guidelines 2.0 Level A and AA Voluntary Product Accessibility Template[®] (VPAT) | October 2017

This Voluntary Product Accessibility Template, or VPAT, is a tool that helps officials and decision-makers to evaluate Salesforce Lightning Dialer design conformance with the accessibility standards under Act World Wide Web Consortium's Web Content Accessibility Guidelines (WCAG 2.0) Level A and AA standards.

The scope of this WCAG 2.0 VPAT includes all features of the **Salesforce Lightning Dialer** except for Sales and Service cloud features, which are described in a separate VPATs. Lightning Dialer features include Dialer and Voicemail settings, Outbound and Inbound calling user screens. Other controls and standard pages related to Salesforce Lightning are not included in this VPAT.

Vendor: Salesforce

Name of the Product: Lightning Dialer

Version: Winter '18

Last Release Date: October 2017

Point of Contact Name/Email: accessibility@salesforce.com

Principle 1: Perceivable – information and user interface components must be presentable to users in ways they can perceive.

Standard	Description	Supporting Features	Comments
<i>Guideline 1.1 Text Alternatives: Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language.</i>			
1.1.1	<p>Non-text Content: All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below (Level A).</p> <ul style="list-style-type: none"> • Controls, Input: If non-text content is a control or accepts user input, then it has a name that describes its purpose. (Refer to Guideline 4.1 for additional requirements for controls and content that accepts user input.) • Time-Based Media: If non-text content is time-based media, then text alternatives at least provide descriptive identification of the non-text content. (Refer to Guideline 1.2 for the additional requirements for media.) • Test: If non-text content is a test or exercise that would be invalid if presented in text, then text alternatives at least provide descriptive identification of the non-text content. • Sensory: If non-text content is primarily intended to create a specific sensory experience, then text alternatives at least provide descriptive identification of the non-text content. • CAPTCHA: If the purpose of non-text content is to confirm that content is being accessed by a person rather than a computer, then text alternatives that identify and describe the purpose of the non-text content are provided, and alternative forms of CAPTCHA using output modes for different types of sensory perception are provided to accommodate different disabilities. • Decorative, Formatting, Invisible: If non-text content is pure decoration, is used only for visual formatting, or is not presented to users, then it is implemented in a way that it can be ignored by assistive technology. 	Supports	<p>The images displayed in the Lightning Dialer user interface have meaningful alternative (alt) text descriptions.</p> <p>Non-relevant, decorative or formatting images have null alt attributes or are inserted as a background image.</p> <p>Form buttons controls have descriptive values and form inputs have proper text labels.</p> <p>Lightning Dialer does not use CAPTCHA for any content access.</p>

<i>Guideline 1.2 Time-based Media: Provide alternatives for time-based media.</i>			
1.2.1	<p>Audio-only and Video-only (Prerecorded): For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such (Level A):</p> <ul style="list-style-type: none"> • Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content. • Prerecorded Video-only: Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content. 	Does not apply	Lightning Dialer features does not include any prerecorded Audio-only and Video-only media elements.
1.2.2	Captions (Prerecorded): Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such. (Level A)	Does not apply	Lightning Dialer user interface and its features does not include any prerecorded Audio-only media elements to provide captions along with it.
1.2.3	Audio Description or Media Alternative (Prerecorded): An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such. (Level A)	Does not apply	Lightning Dialer user interface and its features does not include any audio descriptions or time-based media alternative for the pre-recorded video content.
1.2.4	Captions (Live): Captions are provided for all live audio content in synchronized media. (Level AA)	Does not apply	Lightning Dialer allows user to record online live audio messages for “Greeting and Voicemail messages” for Inbound and Outbound Calling but there is no descriptions captions track content available in synchronized media. This capability is only available to be used and accessed by the administrators based on the permission.
1.2.5	Audio Description (Prerecorded): Audio description is provided for all prerecorded video content in synchronized media. (Level AA)	Does not apply	Lightning Dialer user interface and its features does not include any audio descriptions or time-based media alternative for the pre-recorded video content.
<i>Guideline 1.3 Adaptable: Create content that can be presented in different ways (for example simpler layout) without losing information or structure.</i>			
1.3.1	Info and Relationships: Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. (Level A)	Supports with exceptions	<p>Lightning Dialer user interface contains semantic markup (headings, lists, etc.) to designate headings and emphasized text. Headings and WAI-ARIA landmarks, identity, role, operation and state are used to help convey presentation and assistive technology.</p> <p>A descriptive text is used to indicate the various types of content and controls, and the relationships between them.</p> <p>Data tables with column and/or row headers are properly identified (using the <th> element and scope attributes).</p> <p>The form label elements within the Lightning Dialer pages are properly associated and placed in-line for the form fields.</p>

1.3.2	Meaningful Sequence: When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined. (Level A)	Supports	Lightning Dialer user interface elements are developed in a meaningful and correct reading sequence order that can be programmatically determined. As an example, inputs and labels are contained within the same division element and are listed in sequence.
1.3.3	Sensory Characteristics: Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound. (Level A)	Supports	All instructions for operating within Lightning Dialer user interface content is provided in textual format. Instructions and operating content do not rely on shape, size or visual location and instructions do not rely solely upon sound.
<i>Guideline 1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.</i>			
1.4.1	Use of Color: Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. (Level A)	Supports	Lightning Dialer does not use color alone to distinguish the importance of a visual element. Menus and tabs use highlighting to indicate current location. This information is also communicated by WAI-ARIA role and selected state.
1.4.2	Audio Control: If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level. (Level A)	Does not apply	Lightning Dialer pages do not include any audio sounds.
1.4.3	Contrast (Minimum): The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following: (Level AA) <ul style="list-style-type: none"> • Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1; • Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement. • Logotypes: Text that is part of a logo or brand name has no minimum contrast requirement. 	Supports with exceptions	Sufficient color contrast is provided between foreground and background text colors for easy and clear legibility for people with moderately low vision except for some textual information presented in the “Find Dialer Phone Number” and “Call from Call Lists” screens do not meet the minimum standards.
1.4.4	Resize text: Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality. (Level AA)	Supports with exceptions	Most of the text and images within Lightning Dialer can be resized with the browser zoom feature. Some of the user interface contain issues when a text size is zoomed at 200%. Text in the controls and pages work fine below 150% text increase.
1.4.5	Images of Text: If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following: (Level AA) <ul style="list-style-type: none"> • Customizable: The image of text can be visually customized to the user's requirements; • Essential: A particular presentation of text is essential to the information being conveyed. 	Does not apply	Lightning Dialer does not contain images in lieu of text. All text content within lightning interface is included as pure text.

Principle 2: Operable - User interface components and navigation must be operable.

Standard	Description	Supporting Features	Comments
<i>Guideline 2.1 Keyboard Accessible: Make all functionality available from a keyboard.</i>			
2.1.1	Keyboard: All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints. (Level A)	Supports with exceptions	Lightning Dialer features and controls are reachable using the keyboard alone. They may be executed using the "Tab" key and other keys, as required by the criteria.
2.1.2	No Keyboard Trap: If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away. (Level A)	Supports	Lightning Dialer controls and interactive elements that can be entered via the keyboard can also be escaped by pressing either the "Tab or Shift-Tab" keys or other standard exit methods supplied by the browser and/or assistive technology. Keyboard focus is not locked or trapped at any one particular page element.
<i>Guideline 2.2 Enough Time: Provide users enough time to read and use content.</i>			
2.2.1	<p>Timing Adjustable: For each time limit that is set by the content, at least one of the following is true: (Level A)</p> <ul style="list-style-type: none"> • Turn off: The user is allowed to turn off the time limit before encountering it; or • Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or • Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or • Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or • Essential Exception: The time limit is essential and extending it would invalidate the activity; or • 20 Hour Exception: The time limit is longer than 20 hours. 	Supports	Lightning Dialer user interface is embedded within Sales Cloud Lightning pages where users are alerted with time response modal window and provided options to select additional time for continuing the login session.

2.2.2	<p>Pause, Stop, Hide: For moving, blinking, scrolling, or auto-updating information, all of the following are true: (Level A)</p> <ul style="list-style-type: none"> Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential. 	Does not apply	Lightning Dialer interface does not include any moving, blinking, scrolling, or auto-updating information.
<i>Guideline 2.3 Seizures: Do not design content in a way that is known to cause seizures.</i>			
2.3.1	Three Flashes or Below Threshold: Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds. (Level A)	Does not apply	Lightning Dialer does not use flashes or flashing objects.
<i>Guideline 2.4 Navigable: Provide ways to help users navigate, find content, and determine where they are.</i>			
2.4.1	Bypass Blocks: A mechanism is available to bypass blocks of content that are repeated on multiple Web pages. (Level A)	Supports	Lightning Dialer user interface is embedded within Sales Cloud Lightning pages which contains "Skip to navigation" link at the top of every page that will bypass top navigation. The pages and controls are also provided with headings and ARIA landmarks to aid with rapid navigation to desired content.
2.4.2	Page Titled: Web pages have titles that describe topic or purpose. (Level A)	Supports	All the pages within Lightning Dialer are provided with meaningful and relevant page and panel titles to a user's current location and screen navigation within the application.
2.4.3	Focus Order: If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability. (Level A)	Supports	Lightning Dialer user interface and controls are navigated sequentially by tabbing through the various inputs & labels. The user controls receive keyboard focus in the same tab order in which they are presented visually.
2.4.4	Link Purpose (In Context): The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general. (Level A)	Supports	All link elements within Lightning Dialer provide a purpose both through the link text itself and the title attribute, even when read out of context.
2.4.5	Multiple Ways: More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process. (Level AA)	Supports	Lightning Dialer user interface and interaction within the application is extremely simple. It contains a landing home page and contextual top navigation, from which the user can launch or locate to different section or pages they are seeking.
2.4.6	Headings and Labels: Headings and labels describe topic or purpose. (Level AA)	Supports with exception	All headings and labels within Lightning Dialer are descriptive for where the user is and what they are doing.

2.4.7	Focus Visible: Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible. (Level AA)	Supports	Focus indicator within Lightning Dialer user interface and controls are always visible and contrasts well with the surrounding content and background.
-------	---	----------	--

Principle 3: Understandable - Information and the operation of user interface must be understandable.

Standard	Description	Supporting Features	Comments
<i>Guideline 3.1 Readable: Make text content readable and understandable.</i>			
3.1.1	Language of Page: The default human language of each Web page can be programmatically determined. (Level A)	Supports	Lightning Dialer is embedded within Sales Cloud Lightning pages in which language of page is properly specified and set on the html tag.
3.1.2	Language of Parts: The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. (Level AA)	Support	The human language information in the Lightning Dialer user interface uses HTML 5 language markup for the elements that are accessed directly by commonly available assistive technology.
<i>Guideline 3.2 Predictable: Make Web pages appear and operate in predictable ways.</i>			
3.2.1	On Focus: When any component receives focus, it does not initiate a change of context. (Level A)	Supports	There is no context change within Lightning Dialer user interface when a component receives focus.
3.2.2	On Input: Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component. (Level A)	Supports	There is no context change upon changing any user interface component within Lightning Dialer.
3.2.3	Consistent Navigation: Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user. (Level AA)	Supports	Lightning Dialer provides consistent and repeatable navigation mechanism to assist users with assistive technologies for Outbound and Inbound calling.
3.2.4	Consistent Identification: Components that have the same functionality within a set of Web pages are identified consistently. (Level AA)	Supports	Components and user interface controls are identified consistently for the same functionality across Lightning Dialer.

<i>Guideline 3.3 Input Assistance: Help users avoid and correct mistakes.</i>			
3.3.1	Error Identification: If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text. (Level A)	Supports	Users are visually notified whenever an input error is detected within Lightning Dialer data entry forms when a field that must be completed has not been completed. Proper information is provided in the form of text next to field level input elements to enable the users to identify which fields were omitted and needs to be completed.
3.3.2	Labels or Instructions: Labels or instructions are provided when content requires user input. (Level A)	Supports	Proper labels are provided for the input form fields in Lightning Dialer. Instructions are provided next to the important input elements in the form of tooltips or instructions to assist keyboard users and assistive technology users.
3.3.3	Error Suggestion: If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content. (Level AA)	Supports	Whenever error is automatically detected within Lightning Dialer data entry forms, the error suggestions for corrections are identified and provided visually to the user at the top of the form.
3.3.4	Error Prevention (Legal, Financial, Data): For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true: (Level AA) <ul style="list-style-type: none"> • Reversible: Submissions are reversible. • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them. • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission. 	Supports with exception	A confirmation message or a page is provided to the user within Lightning Dialer workflow forms before submitting the action, be it an insert, update or delete. Data entered by users are checked using validation methods to help users to confirm and correct data submissions. However, there is an exception as there is no delete confirmation message window available within "Greeting Message and Voice Mail Drop" functionality.

Principle 4: Robust - Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies.

Standard	Description	Supporting Features	Comments
<i>Guideline 4.1 Compatible: Maximize compatibility with current and future user agents, including assistive technologies.</i>			
4.1.1	Parsing: In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features. (Level A)	Supports	All core pages in Lightning Dialer are written to HTML5 specifications. HTML elements used have complete start and end tags and are properly nested. The Lightning Dialer user interface elements IDs are identified uniquely.
4.1.2	Name, Role, Value: For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies. (Level A)	Supports	The name, role and value for Lightning Dialer user interface elements are available to assistive technologies via HTML or WAI-ARIA. All buttons are standard HTML form inputs.